

App I IX 4

Previous References

1943-44
(hel)

File No 94-43
Serial Nos 12

Later References

reltd 21/44
P#

GENERAL AND REVENUE SECRETARIAT

Serial Nos one

Part B for April 1944

SUBJECT

Estimate of Rs. 500/- for carrying out
the Anti-Malaria Engineer's
work in Doddaballepur Town Munc-
ipality

- 1) Chief Engineer of Mysore Govt
- 2) Comptroller to the Govt
- 3) Director of P & H
- 4) Secy to Govt PWD

LRN 10600-477.94-43-12
dated 14.4.44

sanctions the proposal

m
21/7

4958
pm

Serial
No

Letter No 19118 9 dated 12 4-1943 from
the Chief Engineer of Mysore - Requests orders
re Anti-Malaria Engineering Scheme for
Doddaballa per Town.

1) The estimate as prepared by the Health
Dept for anti malaria measures in Doddaballa
per is for Rs 9500/- Of this, a sum of Rs 5000/-
is proposed to be met from P.W. funds and the balance
~~from~~ ^{by} the local Municipality and the Ry Dept. The
Ch. Engineer says that it is not known whether the
Ry Dept have agreed to bear any cost. The Municipality
have pleaded inability to meet any portion of
the cost, and that a sum of Rs 1250/- has been
provided under 30 grant for public improvement.
The Chief Engineer however requests an addl grant
of Rs 5000/- towards P.W. share if the proposal
is sanctioned.

2 It may be stated that the recommendations
are vague and indefinite. This is purely a work
of the Public Health Dept and the local Municipality.
It is doubtful whether the Ry Dept has anything
to do in the matter, and it cannot be a legitimate
charge on P.W. funds, as the scheme is for
improving the health of the Town. Besides,
there seems to be no point in sanctioning an
addl grant of Rs 5000/- under P.W. fund.
The question of meeting the balance cost

3576
pr

Antimalarial Engineering Scheme at Doddabaleapur

is settled in the circumstances, the
proposal of the Chief Engineer is for order

- 3/ The Chief Engineer may request
to ^{explain clearly} state how these ^{con} changes are a
correct charge on P.W. funds

m
16/4
1944

G 10/44 / 786 by 21/4/43

- 5/ Subd with a for letter to Chief Engineer
for approval

by 21/4
6/ G 10/44

Despatch in P.W. 20/10/43 dated 30/4/43

Letter NO 15785 dated 8.1.44 from the Chief Engineer of
Mysore - forwards a copy of letter of 8.11.43 from the
D.P. it stating that certain items of work connected with
the antimalarial Eng works at Doddabaleapur are chargeable
to P.W.

7/ The items of Engineering works relating to the above
Scheme are as indicated in the Director's letter (Fig A)
The Cost of these works is estimated at Rs 5000/- The Director of P
says that the cost of these is chargeable to P.W. The Chief Engineer
is of opinion that it is a legitimate charge to His grant Public
improvements. The Law Secy (L.S.G.) may perhaps be consulted
whether Rs 5000/- would be made available from 30 grant the P.W.

- 8/ Items 4 and 6 may perhaps be considered
as Eng works but the necessity for taking them up
now does not seem to exist. The works proposed
therefore fall entirely under the category of Tam

by 21/4
15/4

G 4/2/44
A

Antimalaria Engineering Scheme at Doddaballur

General and Revenue
Secretariat

File No

of 194

2510

[App F III]

Serial
No


A

improvements and may have to be done
from the grants of the Health Dept. Law
Secretary may perhaps be consulted



improvements

6/4/44
9) Law Secy -
Campy / 1/2



5/4/44
1/2

10

Subts -

1) During 1942-43, a sum of Rs 5000/-
was granted from out of the T &
Grant for the Antimalaria
Engineering Scheme at the place
The D P H has both along with
other proposals, recommended the
grant of Rs 3,000/- for the
work during the current year. The
question is under consideration
~~and after the final orders are passed,~~
and the information required at A
above may be furnished after
final orders are passed on the proposal
of the D P H

ma 17/2 11) The opinion of the Dir of
H-It may be called for
report to be sent at A 17/2



NOTE-Continued

Law Secy 17/2
12) Ans 14/2/44


5000/1
6021
Anti-malarial measures at
Doddaballapur
File No _____ of 194 _____
General and Revenue
Secretariat

13 Forwarded with compliments to the Director of Public Health in Mysore for furnishing remarks on the report referred to at supra

Serial
No

El O No 243

21-2-1944



9/2/44

Handwritten signature and date
21/2/44

No B M 1891 /43-44, dated 14th March 1944

Retransmitted with compliments -
The issues raised regarding the estimate for Rs 9 500/- for anti-malaria engineering works round Doddaballapur Town are (1) necessity for taking up these works now, and (2) the source from which the cost of works now proposed to be undertaken by the P W is to be met. Regarding the necessity for the works to be undertaken I am of opinion that these works have to be undertaken and completed as early as possible, in view of the continued heavy incidence of malaria in Doddaballapur Town. These measures are necessary to avoid recurrent measures to be kept going throughout the period of malaria transmission in the town each year. As regards the second issue, it is a matter of opinion as to from what budget head the cost has to be met. In view of the urgent necessity for executing these works and also in view of the fact that out of the total estimate of Rs 9,500 Rs 8,600 have already been made available, partly by the railways, partly from Municipal funds and Rs 5 000/- from Government sanctioned under Town Improvement grants, the balance of Rs 1,000/- may also be provided for from Town Improvement Grants, and orders issued for the early execution of the works.

Handwritten note
1/2/44

NR 13 3

DIRECTOR OF PUBLIC HEALTH M G


Initials

Handwritten date
1/2-3/44

Handwritten text
From

15
A sum of Rs 7,000/- was referred to ~~the~~ make up the balance may be met out of the T S grant for 43-44, as proposed by the D P H above and used when accordingly

A



1/3) subts with reference to forms
11 and 12 supra

ma 16/3/74 A - may be done
Law secy from 16 3 am
18 May be done

secy for
2/4

ccs
17-3 74
A 17 3 am

16 17/3 74
G 20/3

As the cost has to be met from
the Town Improvement grants
the order may have to come from
the medical branch this file may
be sent to the Law Secretary

had
20/3/74

Law Secy
into comp 5

G 20/3

16 24/3/74

ccs 27-3 74

SPH 27/3

20

Dft so is subts for affl

ma 4/4

Law secy for
6/4/74

May be approved The
balance of Rs 1000 may be paid

Under 299 some

11/4/74

10 4 44

10 4 74

11 11 6

Continuation Sheet

File No
Current No

of

Page

GOVERNMENT OF MYSORE

T 1 ^g m
ph

No
Encls

19/189

OFFICE OF

The Chief Engineer of Mysore,

P W D ,
Bangalore

Date

12/4/43

To

The Secretary to Government,

Public Works Department,

Bangalore

4958

Date

15/4/43

Sir,

Anti-malaria Engineering scheme for Doddaballapur Town

I have the honor to state that it is reported by the Deputy Commissioner, Bangalore District, that Doddaballapur has of late become highly malarial and despite the preventive action taken by the Municipality and Health Department the disease has not subsided. It is further stated that the Director of Public Health has sent up an estimate for Rs 9,500 for the above work for completely eradicating the town from the ravages of malaria. Out of the estimate of Rs 9,500 a sum of Rs 5,000 is proposed to be met by the P W D, and the balance by the Municipality and the Railway Department. The Municipality have expressed their inability to finance the work and requested that their share may be met from Government. If this is approved by Government, it should perhaps be debited to '30 Grants for Public Improvements'. It is seen that a sum of Rs 1,250 has already been sanctioned from this fund. Excluding this, an additional grant of Rs 2,250 will have to be sanctioned under this head. Whether the Railway Department have agreed to bear their proposed portion of cost is also not known. If the estimate is sanctioned and Government approve that the P W D has to meet Rs 5,000 according to the provision made in the estimate, an additional grant to this extent under '24 Civil Works, Miscellaneous, Public Improvements' will have to be sanctioned.

2 I request that orders of Government in the matter may kindly be obtained


3 For want of data the rates provided in the estimate are retained

4 A copy of letter No M 6 2232-41 dated 7-3-1943 from the Deputy Commissioner Bangalore District, is also enclosed for information

P T O

for information

I have the honour to be,
Sir,
Your most obedient servant,


13/6/43

CHIEF ENGINEER OF MYSORE

10/10

CRS/8-10

R₂ 1574
C R R
G 1574

Letter No M 6 2232-41 dated 7-3-1943 from the Deputy Commissioner, Bangalore District, to the Chief Engineer of Mysore

Anti-malarial engineering scheme for Doddaballapur town

I have the honour to state that Doddaballapur town has of late become highly malarial and despite the preventive action taken by the Municipality and the Health Department the disease has not been subsided. The people are repeatedly urging for some permanent relief. The Director of Public Health who was addressed in the matter has set up an estimate for Rs 9,500 for the above work stating that the scheme if worked out would completely eradicate the town from the ravages of malaria.

From the enclosed estimate it is seen that the scheme is divided into three parts as noted in the margin. Regarding the

1	work relating to the Municipality	Rs 3,500	portion of the
2	-do- P W D	5,000	work to be taken
3	-do- Railway	600	up by the Muni-
	Contingencies	400	cipality, the
	Total	Rs 9,500	

Council have resolved at their meeting held on 11-12-1942 that on account of their slender resources, it is not possible to bear any quota of cost. Hence they request that the entire expenditure be borne by Government.

The Executive Engineer Bangalore Division, who was addressed in the matter of meeting his portion of the cost relating to the P W Department replies in his letter No 411 dated 6-2-1943 that there is no provision for this work in the current year's budget and that you may be addressed in the matter. The Sanitary Engineer is of opinion that the scheme is very necessary to stamp out malaria at Doddaballapur town. A grant of Rs 1,250 has been sanctioned for this work out of Town improvement grants for the current year. Still the balance of the estimated cost is very heavy and the municipality pleads inability to bear it. In these circumstances, I request that sanction of Government may be kindly obtained to meet the entire cost of the scheme by Government or at least that portion of the cost relating to the P W D and Railway Departments (Rs 5,000+600+ contingencies 400 = Rs 6,000). The connected estimate and plan are enclosed for favour of reference.

"Copy"

C. S. S.

CHIEF ENGINEER OF MYSORE

10/11

PUBLIC WORKS SECRETARIAT

Draft for Approval

No PW 8010

Dated 30/4/1943

Encl

YSB
29/4

FROM

The Secretary to Government

Public Works Department

TO

The Chief Engineer of Ry. & Canal

Subject Anti malarial Engineering
Scheme for Doddaballapur
Town-

Sir,

With reference to your letter
no 19119 of dated 12.4.1943 request
Sanction to an ad grant of
Rs 5000/- for the above scheme
I have the honor to request you
kindly to indicate clearly how
the cost of the work is a correct
charge on PW funds when the
scheme is for improving the health

of the Doddaballapur Town.

In this Connection I request

²
~~for~~ The following particulars

no, also be furnished along with

1) The estimate for Rs 9500/- and

~~on~~ the Report accompanying the

estimate

(1) Whether the Ry Dept have

~~agreed to~~ been consulted and

re their Share of Cost

(2) If they do not agree to bear

any Cost, who is to meet that portion of the Cost

(3) The basis on which Rs 5000/- has

been fixed as per a Share of Cost

I have etc

12
Sd/-
Sd/-

6296
P. B. M.
27/4
m/4

SUBJECT

C F No 46]

GOVERNMENT OF MYSORE

T 1 ⁵/₁₁ m
p 4


No
Encls

20399
/

11
OFFICE OF
The Chief Engineer of Mysore,
Public Works Department,
Bangalore,

Date

1-5-1943



Public Works Department,
Bangalore

Subject Anti-malarial Engine ring Scheme for
Doddaballapur Town

In continuation of this office letter of 19118 dated
12 4 43 on the above subject, I have the honor to forward
herewith for favour of information copies of Memo No A 1
2118-1 dated 27 3 43 together with a copy of its enclosure
from the Director of Public Health, pointing out that the
grant of Rs 1,250/- sanctioned in G O of dated 16-12-42 towards
recurrent expenditure was for spraying work and not for
permanent measures

I have the honor to be,
Sir,
Your most obedient servant,

[Signature]
1/5/43

CHIEF ENGINEER OF MYSORE

[Signature] This may be recorded for
1/5 - in present as a future report,
has been called for from C.E.
[Signature] *[Signature]*

C 3 Ro 22/30-4

Sus)

Cn R
15- 64/5

Letter No. 2118 dated 27.3.43 from the Director of Public Health in Mysore, Bangalore, to the Deputy Commissioner, Bangalore District, Bangalore

- - - - -

Subject Anti Malaria Engineering Scheme for Doddaballapur
Town.

With reference to your letter No. 2232 - 41 dated 7.3.43 forwarding a copy of your letter addressed to the Chief Engineer of Mysore, on the above subject, I have the honor to point out that the grant of Rs. 1250/- sanctioned in G.O. No. 17323-4/P.H. 54-42-2 dated 16th December 1942 towards recurrent expenditure was for supply of and not for permanent measures as already intimated in this office letter No. B.I. 1043 dated 6.3.43 copy enclosed for ready reference

Letter No. 1943 dated 6.3.43 from the Director of Public Health in Mysore, Bangalore, to the Deputy Commissioner, Bangalore District, Bangalore

Subject Anti Malaria Engineering Scheme for Doddaballapur
Town.

With reference to your letter No. 1622 2/11-12 dated 31.1.43 on the above subject, enquiring whether the grant of Rs. 1250/- as per Government Order No. 17323-4/P.H. 51-42-2 dated 10.12.42 be drawn and recurred to the Municipal funds as measures at Doddaballapur

our town has been met out of the Municipal Funds etc , I have the honor to state that it may be done

With reference to your statement that malaria in Dodd Ballapur is in an epidemic form and that the necessity for taking the measures suggested is a point for consideration in view of the fact that the financial position of the Municipality is not satisfactory and that the scheme cannot be taken up without adequate help from Government etc , I write to point out that out of the total estimate of Rs 9500 for the anti malaria engineering works costing only Rs 3700 has to be borne by the Municipality and the remaining from the Railways Public Works Departments

In this connection, I wish to state that until the permanent anti-malaria works are completed, malaria will be repeating every year and that the recurrent measures like spraying will have to be kept up. I, therefore, suggest that the permanent works be taken up immediately and that until such time as engineering works are in progress the Pyrethrum spraying work as previously recommended be continued

Copies

0-5

Chief Engineer of Mysore

SMB Roy, 30-4

Am
1/2

C F No 46]

GOVERNMENT OF MYSORE

No 15785 OFFICE of the Chief Engineer of Mysore
Encls one file estimate Bangalore
sketch etc
one copy of letter Date 8 January 1944 24
To

The Secretary to Government

Public Works Department Bangalore

c Sir

(1) PS 11/1 Re Anti-malaria Engineering Scheme for
Doddaballapur Town

With reference to your letter No P 78010 dated 30-4-43 on the above subject I have the honour to forward herewith a copy of letter No B M 940 dated 8-11-43 received from the Director of Public Health stating that certain items of work connected with the above are chargeable to P W Department as they are in the nature of improvements to existing works under the charge of this Department. I feel that the propriety of charging this department with the cost of anti-malarial Engineering works solely on the strength of the argument that these works are in the nature of improvements to the existing works under this department is ~~debatable~~ ^{questionable}. I am of opinion that this is a legitimate charge under "Miscellaneous grants - Public Improvements" debitable to "Health Department".

2 The Chief Engineer Mysore State Railway has since intimated that the Railway Department will carry out their portion of the work costing Rs 600/-

3 I request that orders of Government may kindly be communicated at an early date in the matter

The estimate and other connected papers accompany

I have the honour to be

Sir

Your most obedient servant,

10/1/44
Chief Engineer of Mysore

3516

10/1/44
J. H. H.
A. H.

our town has
that it may b

in an epidem
is a po nt fo
the Municipal
out adequate
total estimat
P 3700 has to
Public orks

I
wider a works
recurrent me
that the perm
eng reering
recommended b

Letter No B 1 940 dated 8th November 1943
from the Director of Public Health in Mysore Bangalore
to the Chief Engineer of Mysore Bangalore

Anti Malaria Engineering Scheme for
Doddaballapur Town

15
With reference to your letter No 7700 dated
1st October 1943 requesting to intimate as to the basis
on which Rs 5 000 - has been fixed as Public Works De-
partment share of cost of the above work etc I have
the honour to state that as noted in the report accompany-
ing the estimate the undermentioned items of works are
chargeable to the Public Works Department as they are
improvements to existing works under the charge of the
Public Works Department

- 1 Filling up all pits and pools in the bed of
waste weir halla of agarcere tank
- 2 Grading the waste weir halla and defining the
same for the free passage of flood water discharge
during heavy rains
- 3 Opening a vent-way in the bund across the right
waste weir halla
- 4 Extending the existing road tunnel by one more
vent way on the main road and to raise the level
of main road by one foot to prevent submerision
during heavy discharge from waste weir
- 5 Defining the channel beyond the road tunnel
- 6 Grading of walls at suitable intervals to be
constructed along the weir channels to prevent
the scouring action by flood water

In view of the importance of work I would

In Doddaballapur Town.

our town has
that it may be

in an epidemic
is a point for
the Municipal
out adequate
total estimate
of 3700 has to
Public works

major a work
recurrent me
that the perm
of repair of
recommended to

16
would request that the estimate be got sanctioned
and the works executed at your early convenience. I
am herewith returning the estimates received with
your letter under advertisement

C O P Y

cert
Chief Engineer of Mysore

V M S/4 1 44

Done
21

SRB No. 1, 30-4

SUBJECT

Diary No of letter replied to

General and Revenue Secretariat

()
the 194

Date of issue 14/4/ 1944

Signed by

Mr GRR

May this be—

- (i) printed?
- (ii) treated as a Standing Order?
- (iii) published in the Gazette
English Part?
- (iv) translated?
- (v) placed at the disposal of the Press?
- (vi) published in the Gazette
Kannada Part?

ab 17

Section 94
File No 94-43
Serial No 12

Proceedings of the Government of
His Highness the Maharaja of Mysore

Read— correspondence along
with letter no 15785-
of 8-1-44 from the
chief Engineer of Mysore
P W D stating that
an estimate for Rs 9,500/-
has been submitted
by the Director of P W
Order thereon—
in Mysore for carrying
out of ^{extra} Butte - Mahana
works
Engineering scheme in
Dooballapur Taluk
reporting in the enclosure
states, sanction
to a ^{sum} grant of
Rs 5,000/- ~~under the~~

the

from out of the 30 grants for
towards the cost of the scheme,
the balance being met by the
local ml cl and ^{the} Railway Dept

2) no vote NO D P H 1801 / 43-44 of 14th
March 1944 from the D P H
stating that a sum of Rs 8,500/- is
already available for the work
to carry out the work in question
and requesting that a sum of Rs 1,000/-
being the balance required to make
up the sum of total cost of Rs 9,500/-
may be given from out of the T-D grants
for 43-44

List of Enclosures

order NO L1060047 14/4/44

The proposal of the D P H is
sanctioned. Arrangements should be made
to execute these works quickly

Curry

Secy, Law Dept

Copied by

Examined by

The Chief Engineer of Mysore W R ✓

The Comptroller ✓

The D P H ✓

The Secretary to Govt, P W D ✓

Routine Notes

[To be used only for notes requisitions etc not intended for permanent record]

unsub
A copy of No 2 10600/4/m x 44 -43-12
dated 3-3-48 is required to dispose
of a question re Breeding of Gazpura
Thipp Thiruvakunte, Doddaballapur

K-S Rancher
Chick's No
6-544

A copy will be given if ok

Pr
16/5/48

- with right

16/5/48

Forward
Pr
16/5/48